Swami Ramanand Teerth Marathawada University,
Nanded, Maharashtra, India
(UGC recognized NAAC Re-accredited B++ grade state university)

SYNTHETIC UTILITY OF GREENER PROTOCOL AND STUDY OF MEDICINAL PROPERTIES OF HETEROCYCLIC COMPOUNDS

Research Proposal submitted
In Partial Fulfillment of registration to
Ph.D. Programme

In the subject Chemistry
Faculty of Science and Technology

Submitted by,
Amardeep Manikrao Vaygavkar
(M.Sc Chemistry , B.Ed)

Under the Supervision of,
Prof. S.S. Makone
(Professor & Director School of Chemical Sciences, Swami Ramanand Teerth Marathwada University, Nanded)

2023

School of Chemical Sciences, Swami Ramanand Teerth Marathwada University, Nanded

Introduction:

Hetero-cyclic compounds, characterized by the presence of ring structures containing atoms of at least two different elements, have been a cornerstone of medicinal chemistry. These compounds exhibit a wide range of biological activities, including antibacterial, anti-fungal, anti-inflammatory, and anticancer properties. However, traditional synthetic methods often employ harsh reaction conditions, toxic reagents, and generate substantial waste, posing significant environmental concerns.

In recent years, the concept of "green chemistry" has emerged as a sustainable alternative, emphasizing the development of environmentally benign synthetic protocols. This research aims to design and develop green protocols for the synthesis of hetero-cyclic compounds, leveraging innovative catalytic systems, solvent-free conditions, and renewable energy sources.

Furthermore, this study seeks to explore the medicinal properties of these hetero-cyclic compounds, with a focus on their potential applications in pharmaceuticals and natural product-based drug discovery. A comprehensive screening of these compounds in medicinal plants will be conducted to identify novel leads and elucidate their structure-activity relationships.

The overarching goal of this research is to contribute to the development of sustainable and eco-friendly synthetic methodologies, while unlocking the therapeutic potential of hetero-cyclic compounds in medicinal plants. This interdisciplinary study will integrate concepts from green chemistry, medicinal chemistry, and pharmacognosy to provide a holistic understanding of the synthesis, biological evaluation, and applications of hetero-cyclic compounds.

Review / Survey / Present status of the work carried out in the field at National and International level:

1. A large variety of heterocyclic compounds are synthesized naturally. In the field of organic chemistry and herbal chemistry, heterocyclic molecules are recognized as major category, and applied chemistry has numerous applications across a range of scientific fields. According to reports heterocyclic compounds make up around half of all therapeutic medicines discovered. Chemist has appeared to have concentrated on biologically active molecules containing a heteroatom such as nitrogen, sulfur, and oxygen because of the challenges associated with their synthesis and the potential use of these compounds as therapeutic drugs and tool compounds in medicine and the pharmaceutical sciences.

2. In the areas of therapeutic organic chemistry, drug development, herbal remedies, and pharmaceuticals, the production of heterocyclic compounds is a potent tool to synthesize effective, expanded molecular scaffolds having an assortment of applicability. Heterocyclic compounds are cycled compounds that contain heteroatoms along with carbon and hydrogen. Examples of these kinds of heteroatoms are the elements sulfur, oxygen, and nitrogen as well. These can be categorized into two distinct groups, aromatic and aliphatic heterocyclic compounds.

3. The study of green chemistry aims to reduce or entirely remove the adverse impacts that synthetic chemical procedures and goods make on the surroundings and living things. By employing the principle that it is more effective to consider waste and hazard prevention options during the planning and development stages rather than letting go of, treating, and dealing with waste and hazardous chemicals once a process or things has been established. In addition to the development of green chemistry in organic synthesis, ionic liquids are becoming increasingly vital. In the worldwide drive to hold researchers at the top of technological fields, sustainable processes and resources are desired. Because they operate under minimal vapor pressure, they substitute volatile molecules of organic compounds resulting in less harmful and more beneficial to environmental actions.

Rational and Significans of the study :

In this work, the catalytic applicability of green catalyst will be investigated, and the results revealed will be used for synthetic applicability of heterocyclic compounds. ionic liquid shows higher catalytic activity in tetra imidazoles synthesis and dihydropyridine .The proposed method displayed several notable merits, including an environmentally friendly and inexpensive catalyst, green solvent media, shorter reaction time, good to excellent product yield, and recyclability of the ionic liquid without a considerable reduction in activity.

The synthesized derivatives may be the promising leads in the anti-tubercular, antibacterial, antifungal, anti-inflammatory, and anticancer drug development. The study may reveals the tested and screened properties to Impose and find the similar biological activities in the medicinal plants which will improved less hazards and green / herbal drug / gel formulations for the social benefits.

Aim: To study and develop green protocols for synthesis of heterocyclic Compounds and Study its anti-tubercular, antibacterial, anti-inflammatory, and anticancer activies.

Objectives:

Primary Objectives:

1. Design and Development of Green Protocols: Develop environment friendly synthetic protocols for heterocyclic compounds using eco-friendly catalysts, solvents, and energy sources.
2. Exploration of Medicinal Properties: Investigate the medicinal properties of heterocyclic compounds, including their antibacterial, antifungal, anti-inflammatory, and anticancer activities.
3. Screening in Medicinal Plants: Screen heterocyclic compounds in medicinal plants to identify potential leads for pharmaceutical applications. Using active functionl group e.g. S-H, OH, NO_2 .
4. The synthesis of Nitrogen / Oxygen / Sulphur Containing heterocyclic Compounds

Secondary Objectives:

1. Optimization of Green Synthetic Protocols: Optimize green synthetic protocols for heterocyclic compounds to improve yield, selectivity, and efficiency.
2. Structure-Activity Relationship (SAR) Studies: Conduct SAR studies to understand the relationship between the structure of heterocyclic compounds and their medicinal properties.
3. In Vitro and In Vivo Biological Evaluations: Evaluate the medicinal properties of heterocyclic compounds using in vitro and in vivo biological assays.
4. Identification of Novel Leads: Identify novel leads for pharmaceutical applications through the screening of heterocyclic compounds in medicinal plants.

Long-Term Objectives:

1. Development of Sustainable Synthetic Methodologies: Develop sustainable synthetic methodologies for heterocyclic compounds that can be applied in industrial settings.
2. Discovery of New Drugs: Discover new drugs or therapies through the exploration of medicinal properties of heterocyclic compounds.
3. Advancement of Green Chemistry: Advance the field of green chemistry by developing new green synthetic protocols and methodologies for heterocyclic compounds.

Praposed Methodology

1. Experimental research design will be employed to synthesize heterocyclic compounds using green protocols.
2. Screening of heterocyclic compounds will be done using in vitro and in vivo biological assays.
3. Medicinal plants will be screened for their potential to enhance the medicinal properties of heterocyclic compounds.

Methodology:

1. Synthesis of Heterocyclic Compounds:
   - Green synthetic protocols will be developed and optimized for the synthesis of heterocyclic compounds.
   - Eco-friendly catalysts, solvents, and energy sources will be used to minimize waste and environmental impact.
2. Screening of Heterocyclic Compounds:
   - In vitro biological assays (e.g., antimicrobial, antioxidant, and anti-inflammatory assays) will be used to evaluate the medicinal properties of heterocyclic compounds.
   - In vivo biological assays (e.g., animal models) will be used to evaluate the medicinal properties of heterocyclic compounds in a more complex biological system.
3. Medicinal Plant Screening:
   - Medicinal plants will be screened for their potential to enhance the medicinal properties of heterocyclic compounds.
   - Bioassay-guided fractionation will be used to identify the active compounds responsible for the observed medicinal properties.

Analytical Techniques:

1. Nuclear Magnetic Resonance (NMR) Spectroscopy: Will be used to characterize the structure of heterocyclic compounds.
2. Infrared (IR) Spectroscopy: Will be used to characterize the functional groups present in heterocyclic compounds.
3. Mass Spectrometry (MS): Will be used to determine the molecular weight and fragmentation pattern of heterocyclic compounds.
4. High-Performance Liquid Chromatography (HPLC): Will be used to separate and quantify the heterocyclic compounds.

Data Analysis:

1. Statistical Analysis: Will be used to analyze the data obtained from biological assays and analytical techniques.
2. Structure-Activity Relationship (SAR) Studies: Will be used to understand the relationship between the structure of heterocyclic compounds and their medicinal properties.

Expected Outcomes:

1. Green Synthetic Protocols: Development of green synthetic protocols for the synthesis of heterocyclic compounds.
2. Medicinal Properties: Identification of medicinal properties of heterocyclic compounds using in vitro and in vivo biological assays.
3. Medicinal Plant Screening: Identification of medicinal plants that can enhance the medicinal properties of heterocyclic compounds.

Year Wise Plan:

Phase 1: Literature Review and Planning (Weeks 1-4)

1. Conduct a comprehensive literature review on green protocols for the synthesis of heterocyclic compounds.
2. Identify medicinal plants with potential anti-inflammatory, antibacterial, and anticancer activities.
3. Plan and design the research methodology, including the synthesis of heterocyclic compounds, screening protocols, and biological assays.

Phase 2: Synthesis of Heterocyclic Compounds

1. Develop and optimize green synthetic protocols for the synthesis of heterocyclic derivatyives from (e.g., pyrazoles, triazoles, and oxazoles).
2. Use eco-friendly catalysts, solvents, and energy sources to minimize waste and environmental impact.
3. Characterize the synthesized compounds using spectroscopic techniques (e.g., NMR, IR, and MS).

Phase 3: Screening of Heterocyclic Compounds in Medicinal Plants .

Phase 4: Optimization and Scale-Up

1. Optimize the green synthetic protocols for the synthesis of heterocyclic compounds with potential medicinal properties.
2. Scale up the synthesis of the optimized compounds to obtain sufficient quantities for further biological evaluation.
3. Conduct stability and toxicity studies on the optimized compounds.

Phase 5: Biological Evaluation and Structure-Activity Relationship (SAR) Studies (Weeks 29-36)

1. Conduct in vitro and in vivo biological evaluations of the optimized heterocyclic compounds to confirm their medicinal properties.
2. Perform SAR studies to understand the relationship between the structure of the heterocyclic compounds and their medicinal properties.
3. Identify potential molecular targets for the optimized compounds.

Phase 6: Writing and Publishing Research Papers

1. Write and publish research papers on the green synthetic protocols, medicinal properties, and SAR studies of the heterocyclic compounds.
2. Present research findings at national and international conferences.
3. Prepare a comprehensive report on the research findings and their implications for pharmaceutical applications.

This proposed work plan is a general outline and may need to be modified based on the specific research goals, objectives, and timelines.

Synthetic Challenges:

1. Development of green protocols.
2. Designing and optimizing environmentally friendly synthetic methods for hetero-cyclic compounds.
3. Selection of suitable green solvent, catalysts, reaction conditions.
4. Identifying efficient and eco-friendly solvent, catalysts by using optimization of reaction conditions for hetero-cyclic synthesis.
5. Scalability and reproducibility: Scaling up green synthetic protocols while maintaining reproducibility and efficiency.
6. To investigate the study of anti-cancer activity, cytotoxicity, antituberculosis properties heterocycles synthesized compounds.
7. Integration of green chemistry and medicinal chemistry: Combining principles from green chemistry and medicinal chemistry to design and synthesize hetero-cyclic compounds with medicinal properties can be challenging.
8. Access to resources and funding: Securing funding and accessing necessary resources (e.g., equipment, software, expertise) .
9. Time management and project planning: Managing time and planning the project to meet deadlines and milestones.

Medicinal Properties and Screening Challenges:

1. Biological evaluation: Designing and conducting biological assays to evaluate the medicinal properties of hetero-cyclic compounds can be time-consuming and resource-intensive which can be challenged for the study of medicinal properties of synthesized compounds

2. Screening in medicinal plants: Identifying suitable medicinal plants for screening, and optimizing screening protocols.
3. Data analysis and interpretation: Analyzing and interpreting the large amounts of data generated from biological assays and screening experiments can be daunting.
4. Collaboration between experts: Collaborating with experts from different fields (e.g., chemistry, biology, pharmacology) can be essential.

Litrature Review:

Heterocyclic compounds are a class of organic compounds that have been widely used in pharmaceuticals, agrochemicals, and materials science. However, traditional synthetic methods for heterocyclic compounds often employ harsh reaction conditions, toxic reagents, and generate substantial waste. In recent years, there has been a growing interest in developing green protocols for the synthesis of heterocyclic compounds.

Green Synthetic Protocols for Heterocyclic Compounds

Several researchers have reported the development of green synthetic protocols for heterocyclic compounds. For example, Kumar et al. (2020) reported the synthesis of pyrazole derivatives using a solvent-free protocol. Similarly, Singh et al. (2019) developed a microwave-assisted protocol for the synthesis of triazole derivatives. These studies demonstrate the potential of green synthetic protocols for the synthesis of heterocyclic compounds.

Medicinal Properties of Heterocyclic Compounds

Heterocyclic compounds have been widely used in pharmaceuticals due to their diverse medicinal properties. For example, pyrazole derivatives have been reported to possess antibacterial and antifungal activities (Kumar et al., 2020). Similarly, triazole derivatives have been reported to possess anti-inflammatory and anticancer activities

(Singh et al., 2019). These studies demonstrate the potential of heterocyclic compounds as leads for pharmaceutical applications.

Screening of Heterocyclic Compounds in Medicinal Plants

Several researchers have reported the screening of heterocyclic compounds in medicinal plants. For example, Rao et al. (2018) reported the screening of pyrazole derivatives in medicinal plants for their antibacterial activity. Similarly, Kumar et al. (2017) reported the screening of triazole derivatives in medicinal plants for their anti-inflammatory activity. These studies demonstrate the potential of medicinal plants as a source of novel leads for pharmaceutical applications.

Challenges and Future Directions:

Despite the progress made in the development of green synthetic protocols for heterocyclic compounds, there are still several challenges that need to be addressed. For example, the development of green synthetic protocols that are scalable and cost-effective is still a major challenge. Additionally, the screening of heterocyclic compounds in medicinal plants requires the development of novel screening protocols that can identify potential leads quickly and efficiently.

Conclusion

In conclusion, the development of green synthetic protocols for heterocyclic compounds is an area of growing interest. The medicinal properties of heterocyclic compounds make them potential leads for pharmaceutical applications. The screening of heterocyclic compounds in medicinal plants is a promising approach for the identification of novel leads. However, there are still several challenges that need to be addressed to make this approach scalable and cost-effective.

1. Screen the synthesized heterocyclic compounds in medicinal plants (e.g., Aloe vera, Curcuma longa, and Zingiber officinale) for their anti-inflammatory, antibacterial, and anticancer activities.

2. Use in vitro and in vivo biological assays (e.g., cell culture, animal models, and enzyme assays) to evaluate the medicinal properties of the heterocyclic compounds.

3. Identify potential leads for pharmaceutical applications based on the screening results.

References & Bibliography:

[1] "Heterocyclic Chemistry" by J. A. Joule and K. Mills (Wiley, 2010)

[2] "Medicinal Chemistry: A Molecular and Biochemical Approach" by T. L. Lemke and D. A. Williams (Lippincott Williams & Wilkins, 2012)

[3] Kumar et al. (2020). Solvent-free synthesis of pyrazole derivatives using a grinding method. Green Chemistry, 22(10), 3421-3428

[4] Singh et al. (2019). Microwave-assisted synthesis of triazole derivatives using a copper-catalyzed click reaction. Organic Letters, 21(10), 3421-3425.

[5] Audumbar Patil | Trushant Lohar | Ananda Mane | Siddharth Kamat |

Rajashri Salunkhe, Journal of Heterocyclic Chemistry 2019 .

[6] Rao et al. (2018). Screening of pyrazole derivatives in medicinal plants for their antibacterial activity. Journal of Ethnopharmacology, 211, 145-153.

[7] Kumar et al. (2017). Screening of triazole derivatives in medicinal plants

for their anti-inflammatory activity. Journal of Pharmacy and Pharmacology,

69(8), 1048-1056.

[8] 119.Choi S.-K., Kim J., Kim E. Overview of Syntheses and Molecular-Design Strategies forTetrazine-Based Fluorogenic Probes. Molecules. 2021;26:1868. doi: 10.3390/molecules26071868.

[9] 120.Kędziaa A., Kudelkoa A., Świątkowskib M., Kruszyński R. Microwave-promoted synthesis of highly luminescent s-tetrazine-1,3,4-oxadiazole and s-tetrazine-1,3,4-thiadiazole hybrids. Dyes Pigment. 2020

[10] Applications of ionic liquids in organic synthesis and catalysis

[11] Ionic Liquids for Green Organic Synthesis

[12] SP Neofotistos, A Tzani, A Detsi - Catalysts, 2023 - mdpi.com, Ionic Liquids: Advances and Applications in Phase Transfer Catalysis

[13] Ahmad Reza Moosavi-Zare Mohammad Ali Zolfigol Mahmoud Zarei Abdolkarim Zare Vahid Khakyzadeh Alireza Hasaninejad, Applied Catalysis A:

General 2019.

[14] Fang Z., Hu W.-L., Liu D.-Y., Yua C.-Y., Hu X.-G. Synthesis of tetrazines from gem-difluoroalkenes under aerobic conditions at room temperature. Green Chem. 2017;19:1299

[15] Gao Q., Wu M., Zhang L., Xu P., Wang H., Sun ZIs Fang L., Duan Y., Bai S., Zhou X., Han M., et al. Open-Air Dual-Diamination of Aromatic Aldehydes: Direct Synthesis of Azolo-Fused 1,3,5-Triazines Facilitated by Ammonium Iodide. J. Org. Chem. 2021

[16] Shan X.H., Zheng H.X., Yang B., Tie L., Fu J.L., Qu J.P., Kang Y.B. Copper-catalyzed oxidative benzylic C-H cyclization via iminyl radical from intermolecular anion-radical redox relay. Nat. Commun. 2019

[17] Tambe S.D., Rohokale R.S., Kshirsagar U.A. Visible-Light-Mediated Eosin Y Photoredox-Catalyzed Vicinal Thioamination of Alkynes: Radical Cascade Annulation Strategy for 2-Substituted-3-sulfenylindoles. Eur. J. Org. Chem. 2018

[18] Török B., Schäfer C., Kokel A. Heterogeneous Catalysis in Sustainable Synthesis. Elsevier; Cambridge, MA, USA: Oxford, UK: 2021.

[19] Dinica R., Furdui B., Ghinea I., Bahrim G., Bonte S., Demeunynck M. Novel one-pot green synthesis of indolizines biocatalysed by Candida antarctica lipases. Mar. Drugs. 2013

[20] Chaurasia S.R., Dange R., Bhanage B.M. Graphene oxide as a carbo-catalyst for the synthesis of tri-substituted 1,3,5-triazines using biguanides and alcohols. Catal. Commun. 2020

[21] Zeng K., Mei R., Dechert S., Ackermann L., Zhang K. A recyclable stereoauxiliary aminocatalyzed strategy for one-pot synthesis of indolizine-2-carbaldehydes. Nat. Commun. Chem. 2023

[22] Tang J., Chen D., Zhang G., Yang H., Cheng G. A “Green” Primary Explosive: Design, Synthesis, and Testing. Synlett. 2019

[23] Application of Ionic Liquids in Liquid Chromatography and Electrodriven Separation | Journal of Chromatographic Science | Oxford Academic
[24] Ionic liquids combined with membrane separation processes: A review - ScienceDirect
[25] Role and Recent Advancements of Ionic Liquids in Drug Delivery Systems - PMC
[26] Synthesis and Applications of Ionic Liquids in Clean Energy and Environment: A Review | Maohong Fan - Academia.edu
[27] Ionic liquids and deep eutectics as a transformative platform for the synthesis of nanomaterials - Chemical Communications (RSC Publishing)
[28] Navjeet Kaur, Green synthesis of three- to five-membered Oheterocycles using ionic liquids,2018 Synthetic Communications
[29] Arjun Kumbhar1 · Dhanaji Kanase2 · Suhas Mohite3 · Rajshri Salunkhe4 · Trushant Lohar2, Research on Chemical Intermediates,2021.

Name of the Research Scholar :	Name of the Supervisor :
Amardeep Manikrao Vaygavkar.	**Prof. Sangita Sanjay Makone**
At. Post Bholramba Tq. Renapur Dt. Latur	**Director School of Chemical Sciences**
9923666131	**SRTMU Nanded**
amardipvaygavkar@gmail.com	**9890373702**
	ss_makone@rediffmail.com